

# JOURNAL OF ANIMAL SCIENCE

*The Premier Journal and Leading Source of New Knowledge and Perspective in Animal Science*

## **Rapid communication: MspI restriction fragment length polymorphism at the swine MYF6 locus**

C. W. Ernst, D. A. Vaske, R. G. Larson, M. E. White and M. F. Rothschild

*J Anim Sci* 1994. 72:799.

The online version of this article, along with updated information and services, is located on the World Wide Web at:

<http://jas.fass.org>



**American Society of Animal Science**

[www.asas.org](http://www.asas.org)

# Rapid Communication: *MspI* Restriction Fragment Length Polymorphism at the Swine *MYF6* Locus<sup>1,2</sup>

C. W. Ernst<sup>\*,3</sup>, D. A. Vaske<sup>†</sup>, R. G. Larson<sup>†</sup>, M. E. White<sup>\*,4</sup>, and M. F. Rothschild<sup>†</sup>

<sup>\*</sup>Department of Animal Science, The Ohio State University, Columbus 43210-1095 and

<sup>†</sup>Department of Animal Science, Iowa State University, Ames 50011-3135

**Source and Description of Probe.** A 1,296-bp rat cDNA clone for *MRF4* (also called *MYF6*) was excised from the *EcoRI* site of the plasmid pBluescript KS<sup>+</sup> (Rhodes and Konieczny, 1989).

**Method of Detection.** DNA was isolated from whole blood and digested with *MspI*. Fragments were then separated by agarose gel electrophoresis and transferred to charged nylon membranes. Hybridizations were at 65°C for 16 to 20 h (.5 M NaCl, .05 M Naphosphate buffer, pH 6.5, 5× Denhardt's reagent, 10% dextran sulfate, .5% SDS, 100 µg/mL sonicated, denatured salmon sperm DNA). Final washes were at 55 to 60°C in .7× SSC, .5% SDS for 15 to 20 min.

**Description of Polymorphism.** Hybridization with the rat *MRF4* probe revealed three swine fragments. The 6.3- and 4.6-kb fragments were polymorphic (Figure 1) and the 2.3-kb fragment was monomorphic (not shown). No polymorphisms were detected for swine *MYF6* in unrelated pigs using *TaqI* (34 pigs), *SacI* (28 pigs), or *XbaI* (23 pigs).

**Inheritance Pattern.** Autosomal Mendelian segregation of the 6.3- and 4.6-kb swine *MYF6* fragments was observed in 165 pigs from six, two- and three-generation families.

**Frequency.** Frequencies in 69 unrelated pigs were .92 (6.3-kb allele) and .08 (4.6-kb allele) (Table 1).

**Chromosomal Location.** Unknown.

**Comments.** *MYF6* is a skeletal muscle-specific transcription factor from the family that also includes MyoD (*myf-3*), myogenin, and *myf-5*. It has been reported in the rat as *MRF4* (Rhodes and Konieczny, 1989) and in the human as *myf-6* (Braun et al., 1990). *MYF6* seems to be the last of these genes to be expressed, and it is the predominant factor in postnatal muscle.

## Literature Cited

- Braun, T., E. Bober, B. Winter, N. Rosenthal, and H. H. Arnold. 1990. Myf-6, a new member of the human gene family of myogenic determination factors: Evidence for a gene cluster on chromosome 12. *EMBO J.* 9:821.
- Rhodes, S. J., and S. F. Konieczny. 1989. Identification of MRF4: A new member of the muscle regulatory factor gene family. *Genes Dev.* 3:2050.

Key Words: Pigs, Muscle, MYF6, MRF4, RFLP

*J. Anim. Sci.* 1994. 72:799




Figure 1. Mendelian segregation of porcine *MYF6* *MspI* fragments in a two-generation crossbred family of Meishan × Duroc pigs. Square denotes male; circle denotes female.

Table 1. Frequency of *MYF6* genotypes

Breed	n	Frequency of pigs with indicated genotype <sup>a</sup>		
		6.3/6.3	6.3/4.6	4.6/4.6
Fengjing	6	67	17	17
Meishan	8	63	25	12
Minzhu	4	50	50	0
Chester White	9	78	22	0
Other breeds <sup>b</sup>	42	100	0	0

<sup>a</sup>6.3 = 6.3-kb *MspI* fragment; 4.6 = 4.6-kb *MspI* fragment.

<sup>b</sup>Landrace, Yorkshire, Duroc, Hampshire, and Poland China.

<sup>1</sup>Salaries and research support provided by state and federal funds appropriated to The Ohio Agric. Res. and Dev. Center, The Ohio State Univ., manuscript no. 214-93.

<sup>2</sup>This project is supported in part by NPPC, IPPA, and OPPC. The authors thank J. Newton, C. Hergenrader, S. Kenealy, and F. C. Ernst for their contributions. The rat *MRF4* cDNA was kindly provided by S. Konieczny, Purdue University.

<sup>3</sup>To whom correspondence should be addressed.

<sup>4</sup>Present address: Dept. of Anim. Sci., Univ. of Minnesota, St. Paul 55108.

Received November 29, 1993.

Accepted December 29, 1993.